Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

Rechargeable Li-Ion battery/Drill/Impact drill/Spray Gun/Multi Tool/Rotary Hammer/Impact Wrench/Impact Driver/Brad Nailer/circular Saw/Angle Grinder/Chain Saw/ Leaf Blower/Lawn Mower/Grass Trimmer/Grass And Shrub Shears

Other means of identification:

Rate:12V 2Ah 24Wh,16V 2Ah 32Wh, 20V 2Ah 40Wh & 20V 4Ah 80Wh

Applicable Model:

EDL-DZ12-4A2,EDL-DZ12-5A2,EDC041,EDL-DZ12-6A2,EDL-DC12A2,ZT030,ZT030,ZT030-1

EDC054,EDE-DZ16-1D2,EDE-CZ16-1D2,EDC053E,DE-CZ16-1A2,EDE-DC16A2

EDC890-1,EDC651-1,EDE-DC20-2D4,EDC300,EDE-BS20-1D2,EDE231,EDC230,EDE-QZ20-1D2,

EDE-QZ20-1A4,EDE-CZ20-1D2,EDE-CZ20-2D2,EDE-CZ20-2A4,EDC150,EDC150-2,EDE-DZ20-1D2,

EDE-DZ20-2D2,EDC120,EDC120-2,EDE750,EDE-YJ20-1D4,EDE-CM20A2E,EDE-CM20A4E,EDL-CM20A2E,

EDL-CM20A4E,EDE-DC20A2,EDE-DC20A4,EDL-DC20A2,EDL-DC20A4,EDE-JM20-1D4,EDE-JM20-3D4,

EDE-JM20-2D4,EDC600,EDC601,EDC602,EDG105,EDG012-1,EDG500-1,EDG305-1,EDG621-1

Registration number: No available data.

UFI code: No available data.

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against on
- · Application of the substance/ mixture:

Power supply, power tools

- · Uses advised against: No available data.
- · Reason why uses advised against: No available data.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ningbo deli tools Co., Ltd.

No.128, Chezhan West Road, Huangtan Town, NingHai County, Ningbo, Zhejiang, China.

Tel: +086-13951115956 Email: zhaochen@nbdeli.com National contact: Zhao chen

· Only Representative/other EU contact point:

No information available.

· 1.4 Emergency telephone number

Tel: +400-8800-555

(Only available during the following office hours 8:30-17:30, for Chinese service only)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· 2.1.1 Classification according to regulation (EC) 1272/2008:

Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Skin Irrit.2, H315	Additivity approach
Skin Sens. 1, H317	Cut-off values/concentration limits approach
Eye Irrit. 2, H319	Additivity approach
Resp. Sens. 1B, H334	Cut-off values/concentration limits approach
Carc. 1A, H350	Cut-off values/concentration limits approach
STOT RE 1, H372	Cut-off values/concentration limits approach

· 2.1.2 Additional information:

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

- · 2.2 Label elements
- · Labeling according to Regulation (EC) No 1272/2008:

The product is labelled according to CLP Regulation.

· Hazard pictograms:



GHS08

· Signal word:

Danger

· Hazard-determining components of labelling:

Cobalt lithium manganese nickel oxide

· Hazard statements:

H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H350 May cause cancer

H372 Causes damage to organs through prolonged or repeated exposure

· Precautionary statement:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304 + P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P308 + P313 If exposed or concerned: Get medical advice/attention.

· Supplemental label elements:

Restricted to industrial and professional uses.

· 2.3 Other hazards

None of the ingredients (≥0.1%) meets the criteria for PBT/vPvB in accordance with Annex XIII.

None of the ingredients (≥0.1%) is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

SECTION 3: Composition/information on ingredients

· 3.1 Substance

Not applicable

- · 3.2 Mixtures
- · Description of the mixture:

Rechargeable Li-Ion battery.

Г	Ingredients:						
ı	Substance	CAS No.	Index No.	EC No.	w/w, %	CLP Classification	SCL/M-factor/AT

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

						E
Cobalt lithium	346417-97-	-	-	≤31.4	Skin Sens. 1, H317	-
manganese nickel	8				Resp. Sens. 1B,	
oxide					H334	
					Carc. 1A, H350	
					STOT RE 1, H372	
Graphite	7782-42-5	-	231-955-3	≤17.1	None	-
Iron	7439-89-6	-	231-096-4	≤15.6	None	-
Copper	7440-50-8	-	231-159-6	≤13.4	None	-
Other materials	-	-	-	≤6.7	None	-
Aluminum	7429-90-5	-	231-072-3	≤5.6	None	-
Ethylene	96-49-1	-	202-510-0	≤4	Acute Tox. 4, H302	ATE (oral)=500
carbonate					Eye Irrit. 2, H319	mg/kg
					STOT RE 2, H373	
Dimethyl	616-38-6	607-013-00-6	210-478-4	≤4	Flam. Liq. 2, H225	-
carbonate						
Lithium	21324-40-3	-	244-334-7	≤1.8	Acute Tox. 3, H301	ATE (oral)=200
hexafluorophosphat					Skin Corr. 1A, H314	mg/kg
е					Eye Dam. 1, H318	
					STOT RE 1, H372	
Polyvinylidene	24937-79-9	-	-	≤0.4	None	-
fluoride						

Additional information:

For full text of H-statements, see SECTION 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General advice:

IF exposed or concerned: Get medical advice/attention.

After inhalation:

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/if you feel unwell.

After skin contact:

Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

Immediately call a POISON CENTER or doctor/physician.

After eye contact:

Rinse cautiously with water for several minutes.

Immediately call a POISON CENTER or doctor/physician.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor.

· 4.2 Most important symptoms and effects, both acute and delayed:

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

Acute and delayed effects are as indicated in sections 2 and 11.

· 4.3 Indication of any immediate medical attention and special treatment needed:

Treat according to symptom, there is not known specific medicine.

SECTION 5: Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use chemical powder, sand, soil, alcohol resistant foam to extinguish.

· Unsuitable extinguishing media:

Water.

· 5.2 Special hazards arising from the substance or mixture:

May produce allergic dust/mist.

· 5.3 Advice for firefighters

Protective equipment:

Wear an approved positive pressure self-contained breathing apparatus (Comply with EN 133).

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · 6.1.1 For non-emergency personnel

Protective equipment:

Protective gloves/ protective clothing/eye protection/face protection and respiration protection.

Emergency procedures:

Evacuate quickly.

Ensure good ventilation.

Wear protective gloves/protective clothing/eye protection/face protection and respiration protection.

Avoid contact with skin and eyes.

· 6.1.2 For emergency responders

Personal protective equipment:

Protective gloves/ protective clothing/eye protection/face protection and respiration protection.

· 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so.

Prevent spillage from entering drains, sewer, basement or confined areas.

If the spillage contaminates rivers, lakes or drains inform respective authorities.

\cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not use water flush.

Ensure good ventilation.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections:

See section 7 for information on safe handing.

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

See section 8 for information on personal protection equipment.

See section 13 for disposal in formation.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Ensure good ventilation/ exhaustion at the workplace.

Absorb spillage to prevent material damage.

Do not breathing dust.

Wear protective gloves/protective clothing/eye protection/face protection.

Use respiratory protective device against the effects of dust.

Prevent to contact with eyes and skin.

Avoid release to the environment.

· Information about fire and explosion protection:

Keep away from heat source.

- · 7.2 Conditions for safe storage, including any non-compatibility
- · Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Keep cool.

· Information about storage in one common storage facility:

Store in the original container.

· Further information about storage conditions:

Store locked up.

· Storage class:

Not applicable.

· 7.3 Specific end use(s):

See section 1.2.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

•	•	•	
Country	Limit value - Eight hours	Limit value - Short term	
7782-42-5 G	raphite		
Belgium	2 mg/m ³	-	
Denmark	2.5 mg/m ³ Respirable aerosol	5 mg/m³ Respirable aerosol	
Finland	2 mg/m ³	-	
France	2 mg/m³ Respirable aerosol	-	
Germany	4 mg/m³ Inhalable aerosol;	-	
(DFG)	1.5 mg/m³ Respirable aerosol		
Ireland	10 mg/m³lnhalable fraction	-	
	4 mg/m ³ Respirable fraction		
Latvia	2 mg/m ³	-	
Spain	2 mg/m³ Inhalable aerosol;	-	
Sweden	5 mg/m³ Respirable aerosol	-	

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

Γ	United	10 mg/m³Inhalable fraction	-
	Kingdom	4 mg/m³ Respirable fraction	

- · DNELs: No available data.
- · PNECs: No available data.
- · Additional information:

The lists valid during the marking were used as basis.

- · 8.2 Exposure controls
- · Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.
- · Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice.

See section 7 for information about design of technical facilities.

- · Personal protective equipment
- · Eye and face protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



Safety glasses

Protective goggles with side-shields.

- · Skin protection
- · Hand protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness> 0.3mm; breakthrough times up to 480 minutes).

· Other skin protection:

Not required under normal conditions of use.

For industrial applications, following protection required:







Safety boots



Safety overalls

Face shield, gauntlets, boots, bodysuit are recommended.

· Respiration protection:

Not required under normal conditions of use.

For industrial applications, following protection required:

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008



Respiratory equipment

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

· Thermal hazards:

Not required under normal conditions of use.

For industrial applications, following protection required:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chemical pro	operties	
· Physical state	Solid	
· Color	Red/Black	
· Odor & Odor threshold	Odorless	
· Melting point/freezing point (or softening	Not determined	
point/range)		
· Boiling point or initial boiling point and boiling	Not determined	
range		
· Flammability	Not flammable solid	
· Lower and upper explosion limit	Not determined	
· Flash point	Not applicable	
· Auto-ignition temperature	Not applicable	
· Decomposition temperature	Not determined	
· pH	Not determined.	
· Kinematic viscosity (mm2/s)	Not applicable	
· Solubility	Not determined.	
· Partition coefficient n-octanol/water (log value)	Not applicable	
· Vapor pressure	Not determined	
· Density and/or relative density	Not determined	
· Relative vapor density	Not determined	
· Particle characteristics	Not determined.	
· 9.2 Other information		
· 9.2.1 Information with regard to physical hazard classes:		
· Explosives	Not applicable	
· Flammable gases	Not applicable	
· Aerosols	Not applicable	
· Oxidising gases	Not applicable	
· Gases under pressure	Not applicable	
· Flammable liquids	Not applicable	

Deli 20250402-05-v1

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

· Flammable solids	Not applicable	
· Self-reactive substances and mixtures	Not applicable	
· Pyrophoric liquids	Not applicable	
· Pyrophoric solids	Not applicable	
· Self-heating substances and mixtures	Not applicable	
· Substances and mixtures, which emit flammable	Not applicable	
gases in contact with water		
· Oxidizing liquids	Not applicable	
· Oxidizing solids	Not applicable	
· Organic peroxides	Not applicable	
· Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	
9.2.2 Other safety characteristics		
· Mechanical sensitivity	Not applicable	
· Self-accelerating polymerisation temperature	Not applicable	
· Formation of explosible dust/air mixtures	Not applicable	
· Acid/alkaline reserve	Not applicable	
· Evaporation rate	Not applicable	
· Miscibility	Not applicable	
· Conductivity	Not applicable	
· Corrosiveness	Not applicable	
· Gas group	Not applicable	
· Redox potential	Not applicable	
· Radical formation potential	Not applicable	
· Photocatalytic properties	Not applicable	
· Other physical and chemical parameters	Not determined	

SECTION 10: Stability and reactivity

· 10.1 Reactivity:

The product is non-reactive under normal conditions of use, storage and transport.

· 10.2 Chemical stability:

Under storage at normal ambient temperatures, the product is stable.

· 10.3 Possibility of hazardous reactions:

No known hazardous reaction.

· 10.4 Conditions to avoid:

High temperature and flame.

· 10.5 Incompatible materials:

Strong oxidizing agent and acids.

· 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

Based on available data, the classification criteria are not met.

· Skin corrosion/irritation:

Causes skin irritation.

· Serious eyes damage/ irritation:

Causes serious eye irritation.

· Respiratory or skin sensitization:

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled

· Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

· Carcinogenicity:

May cause cancer.

· Reproductive toxicity:

Based on available data, the classification criteria are not met.

· STOT-single exposure:

Based on available data, the classification criteria are not met.

· STOT-repeated exposure:

Causes damage to organs through prolonged or repeated exposure.

· Aspiration hazard:

Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· 11.2.1 Endocrine disrupting properties:

None of the ingredients (≥0.1%) is considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

· 11.2.2 Other information:

No known other relevant information on adverse health effects.

SECTION 12: Ecological information				
· 12.1 Toxicity:				
LC50/EC50/NOEC values relevant for classification:				
7782-42-5 Graphite				
Short–term toxicity to fish	LC50 (4 days) 100 mg/L			
Chaut taumataviaituta auvatiaimvautalauataa	EC50 (48 h) 100 mg/L			
Short–term toxicity to aquatic invertebrates	NOEC (48 h) 100 mg/L			
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 47 mg/L			

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

Toxicity to aquatic algae and cyanobacteria		EC50 (72 h) 7.2 - 100 mg NOEC (72 h) 10 - 100 mg/L
	Toxicity to microorganisms	EC50 (3 h) 1.012 - 5 g/L

- · 12.2 Persistence and degradability: No available data.
- · 12.3 Bio-accumulative potential: No available data.
- · 12.4 Mobility in soil: No available data.
- · 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substances (≥0.1%) that are assessed to be a PBT or a vPvB.

· 12.6 Endocrine disrupting properties:

None of the ingredients (≥0.1%) is considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

· 12.7 Other adverse effects:

No known other adverse effects.

- · 12.8 Additional ecological information
- · General notes:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

Do not allow the product to reach ground water, water course or sewage system.

SECTION 13: Disposal consideration

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage.

- · 13.2 Un-cleaned packaging
- · Recommendation:

Dispose of contents/container in according to the local/regional/national/ international regulation.

SECTION 14: Transport information	
· IMO/IMDG (42-24)	This product is not subject to IMO/IMDG code according to special provision 188.
· ADR/ADN/RID (2023 Edition)	This product is not subject to ADR/ADN/RID according to special provision 188.
· 14.1 UN-Number IATA-DGR (66th)	UN3480 or UN3481
· 14.2 UN proper shipping name IATA-DGR (66th)	1) Lithium ion batteries 2) Lithium ion batteries packed with equipment, 3) Lithium ion batteries contained in equipment. (including Lithium ion polymer batteries)
· 14.3 Transport hazard class (es) IATA-DGR (66th)	
Class	beereeseis W

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

Label	9 Miscellaneous dangerous substances and articles
	9
· 14.4 Packing group	
IATA-DGR (66th)	Not applicable
· 14.5 Marine pollution	No
· 14.6 Special precautions for user	Not applicable
· Danger code (Kemler)	Not applicable
· EMS number	F-A, S-I
· 14.7 Transport in bulk according to	
Annex II of MARPOL 73/78 and the IBC	Net applicable
Code	Not applicable

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concentration):

7782-42-5 Graphite 4

- · Directive 2012/18/EU
- · Named dangerous substances-ANNEX I:

None of the ingredients is listed.

· Seveso category:

Not applicable

· Qualifying quantity (tonnes) for the application of lower-tier requirements:

Not applicable

· Qualifying quantity (tonnes) for the application of upper-tier requirements:

Not applicable

- · National regulations.
- · Water hazard class:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization:

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction:

346417-97-8 Cobalt lithium manganese nickel oxide 27

· REACH Regulation Annex XIV Authorization List:

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

· 16.1 Indication of changes:

None.

· 16.2 Abbreviations and acronyms:

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic vPvB: very persistent and very bio accumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

Flam. Liq. 2: Flammable liquid, hazard category 2 Acute Tox. 3: Acute toxicity, hazard category 3 Acute Tox. 4: Acute toxicity, hazard category 4

Skin Corr. 1A: Skin corrosion/irritation, hazard category 1A

Skin Sens. 1: Skin sensitization, hazard category 1
Eye Dam. 1: Eye damage/irritation, hazard category 1
Eye Irrit. 2: Eye damage/irritation, hazard category 2

Resp. Sens. 1B: Respiratory sensitization, hazard category 1B

Carc. 1A: Carcinogenicity, hazard category 1A

STOT RE 1: Specific target organ toxicity after repeated exposure, hazard category 1 STOT RE 2: Specific target organ toxicity after repeated exposure, hazard category 2

· 16.3 Key literature references and sources for data:

https://echa.europa.eu/

https://chem.nlm.nih.gov/

https://www.osha.gov/

http://www.unece.org/

http://www.imo.org/

https://www.dguv.de/

https://epa.govt.nz/

http://www.ilo.org/

https://www.phmsa.dot.gov/

· 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:

See section 2.1 (classification).

· 16.5 Relevant H- and EUH-phrases (number and full text):

H225 Highly flammable liquid and vapour

H301 Toxic if swallowed

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H319 Causes serious eye irritation

Amended by COMMISSION REGULATION (EU) 2020/878,

According to REGULATION (EC) No 1272/2008

Deli 20250402-05-v1

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H350 May cause cance

H372 Causes damage to organs through prolonged or repeated exposure

H373 May cause damage to organs through prolonged or repeated exposure

· 16.6 Training advice:

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

· 16.7 Further information:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No 2020/878 and (EC) No 1272/2008.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of safety data sheet